MOBIS-COVID19/06

Results as of 11/05/2020

Joseph Molloy

Christopher Tchervenkov

Thomas Schatzmann

Beaumont Schoeman

Beat Hintermann

Kay W. Axhausen

Arbeitsbericht Verkehrs- und Raumplanung 1501

May 2020

MOBIS-COVID19/06

Joseph Molloy
IVT
ETH Zurich
CH-8093 Zurich
joseph.molloy@ivt.baug.ethz.ch

Thomas Schatzmann
IVT
ETH Zurich
CH-8093 Zurich
thomas.schatzmann@ivt.baug.ethz.ch

Beat Hintermann
WWZ
University of Basel
CH-4002 Basel
b.hintermann@unibas.ch

Christopher Tchervakov
IVT
ETH Zurich
CH-8093 Zurich
christopher.tchervakov@ivt.baug.ethz.ch

Beaumont Schoeman
WWZ
University of Basel
CH-4002 Basel
b.schoeman@unibas.ch

Kay W. Axhausen
IVT
ETH Zurich
CH-8093 Zurich
axhausen@ivt.baug.ethz.ch

May 2020

Abstract

To slow down the spread of the Coronavirus, the population has been instructed to stay at home if possible. This measure consequently has a major impact on our daily mobility behaviour. But who is being affected, and how? The MOBIS-COVID-19 research project, an initiative of ETH Zurich and the University of Basel, is a continuation of the original MOBIS study. The aim of the project is to get a picture of how the crisis is affecting mobility and everyday life in Switzerland.

Keywords

GPS logger; Travel diary app; COVID-19; Corona virus; MOBIS; Mobility behaviour; Switzerland

Suggested Citation

Molloy, J., C. Tchervakov, T. Schatzmann, B. Schoeman, B. Hintermann and K.W. Axhausen (2020) MOBIS-COVID19/06: Results as of 11/05/2020, *Arbeitsberichte Verkehrs- und Raumplanung*, **1501**, IVT, ETH Zurich, Zurich.

MOBIS-COVID19/06

Joseph Molloy
IVT
ETH Zurich
CH-8093 Zurich
joseph.molloy@ivt.baug.ethz.ch

Thomas Schatzmann
IVT
ETH Zurich
CH-8093 Zurich
thomas.schatzmann@ivt.baug.ethz.ch

Beat Hintermann
WWZ
University of Basel
CH-4002 Basel
b.hintermann@unibas.ch

Christopher Tchervakov
IVT
ETH Zurich
CH-8093 Zurich
christopher.tchervakov@ivt.baug.ethz.ch

Beaumont Schoeman
WWZ
University of Basel
CH-4002 Basel
b.schoeman@unibas.ch

Kay W. Axhausen
IVT
ETH Zurich
CH-8093 Zurich
axhausen@ivt.baug.ethz.ch

Mai 2020

Zusammenfassung

Um die Ausbreitung des Coronavirus zu verlangsamen ist die Bevölkerung angewiesen worden, wenn möglich zu Hause zu bleiben. Diese Massnahme hat daher einen grossen Einfluss auf unser tägliches Mobilitätsverhalten. Doch wer ist davon betroffen und wie? Das Forschungsprojekt MOBIS-COVID-19, eine Initiative der ETH Zürich und der Universität Basel, ist eine Weiterführung der originalen MOBIS-Studie. Ziel des Projekts ist es, ein Bild zu erhalten, wie sich die Krise auf die Mobilität und das Alltagsleben in der Schweiz auswirkt.

Schlagworte

GPS logger; Travel diary app; COVID-19; Corona virus; MOBIS; Mobility behaviour; Switzerland

Zitierungsvorschlag

Molloy, J., C. Tchervakov, T. Schatzmann, B. Schoeman, B. Hintermann and K.W. Axhausen (2020) MOBIS-COVID19/06: Results as of 11/05/2020, *Arbeitsberichte Verkehrs- und Raumplanung*, **1501**, IVT, ETH Zurich, Zurich.

Contents

1	News	2
2	Introduction	3
3	First key points	3
4	Risk perception	5
5	Average daily distance	6
6	Active days	6
7	Change in kilometers travelled by transport mode	7
8	Change in kilometers travelled by:	7
9	Reduction in kilometers travelled by Canton	9
10	Trip duration by transport mode and gender	9
11	Average trip length by transport mode (km)	10
12	Activity space and daily travel radius	10
13	Hourly counts	12
14	Activity types and zoning	16
15	Participation	17
16	Differences in the distributions	17

1 News

11 May:

- New graph of activity space and daily radius.

4 May:

- New chart from online survey with participants on risk perception.
- Key points summary and formatting adjustments.

27 April:

- New chart on the change in activity type by land zoning.

20 April:

- Mobile participants per day.
- Non-mobile participants are now included in the activity-space numbers in addition to a new table on median weekly activity spaces.
- New graphs, including average trip distance by mode.
- Formatting improvements and other small corrections.

13 April:

- Earlier weeks have been grouped and colored grey in certain graphs.

2 Introduction

On March 16, 2020, 3700 participants who completed the MOBIS study between September 2019 and January 2020 were invited to reinstall the GPS Logger and Travel Diary App ‘Catch-My-Day’, developed by MotionTag, to record their mobility behaviour during the period of special measures implemented to control the spread of the Corona Virus. The first 4 weeks of mobility data from the original MOBIS Study is taken for each participant as a baseline against which to compare current mobility patterns. These 4 weeks start place anywhere between 1st September and 15th November, depending on the participant. Only trips in Switzerland are currently considered, although data on cross border travel is available.

The following figure shows the number of registered and tracking participants per day. A running panel of around 250 participants were already tracking before the sample was reinvited. This allows results for the weeks before the MOBIS:COVID-19 study was officially started, although the sample size is a lot smaller, and hence the results.

In the MOBIS study, participants were only eligible if they used a car at least 3 days a week - which skews the sample away from the Swiss general population.

The number of tracking participants each day used to calculate the average daily values includes all participants who recorded tracks before or after that date. This allows the consideration of those who stay at home while still allowing for survey dropouts.

The GPS Travel diary used, Catch-My-Day (for iOS and Android) can have a 2-3 day delay before the tracks are available for analysis. The scaling by active participants accomodates for this, but the results of previous reports may change when the report is updated.

3 First key points

The MOBIS-COVID tracking study has recorded 73,949 person-days since we mobilized the participants of the MOBIS project in the light of the on-coming COVID19 restrictions: more registered 1,651 than tracked (maximum of 1,433 and a mean of 1,042 persons). In the week of April 25th we also asked them to participate in a short survey. We continue

to use the Catch-a-day app based on motion-tag technology. The sample is roughly comparable in socio-demographics to the latest federal 2015 Mikrozensus, but for a bias towards higher income season-ticket owning better educated males.

Together with the tracking and survey data of the 2019 MOBIS project we are able to show the impact of the COVID19 epidemic in the French and German speaking part of Switzerland. We have a chance to look at the socio-demographic differences in the impacts, which are not fully available in the private Intervista panel or Google data.

The results show that the participants anticipated the “lock down” by starting to reduce travel two weeks in advance of March 16th 2020. The number of trips fell by 40% from about 5 to about 3 per day. The activity spaces, measured as the 95% confidence ellipse around home, collapsed by 80%, but has since started to recover slowly.

While the impact of gender and language-spoken is not large, on-going need to work at the work place attenuated the effects. In contrast to many other observations, the effect of income is not strongly varying: the only about 8% between the lowest and highest income groups.

The distances by trip, when undertaken, do not change much, but for walking and cycling. Cycling, in particular, sees a large increase in kilometers travelled. The increase is well beyond what the seasonal increase would imply, still the temporal patterns by time-of-day and type of day indicates its prime use as a fitness tool.

We are looking forward to document the recovery after the step-wise lifting of the restrictions last week.

4 Risk perception

COVID-19 Survey - May 11, 2020

Risk assessment by gender of participant (N=991)

A first analysis from the survey on risk perception in the case of a COVID-19 infection shows that participants evaluate the risks of various outcomes differently for themselves and the Swiss population. The possibility that the participant experiences severe symptoms that require hospitalisation or fatal symptoms is considered somewhat lower by the participants for themselves than for the Swiss population. Both men and women appear to overestimate the probability of death by expecting the “asymptomatic” course to be less likely. While the median values for the various symptom categories do not differ greatly between men and women, the range of values for men is somewhat wider than for women.

5 Average daily distance

6 Active days

7 Change in kilometers travelled by transport mode

8 Change in kilometers travelled by:

9 Reduction in kilometers travelled by Canton

Table 1: Change in kilometers travelled by home canton (%)

Canton	N	Mar-02	Mar-09	Mar-16	Mar-23	Mar-30	Apr-06	Apr-13	Apr-20	Apr-27	May-04
Aargau	57	-25	-41	-71	-58	-50	-57	-56	-47	-50	-34
Basel-Landschaft	138	-15	-12	-62	-61	-60	-61	-56	-55	-54	-37
Basel-Stadt	28	-14	-36	-70	-75	-68	-62	-66	-55	-54	-40
Berne	135	-31	-36	-67	-60	-57	-57	-51	-49	-45	-41
Geneva	99	10	-44	-68	-62	-59	-65	-56	-45	-39	-18
Schwyz	12	-24	-13	-55	-70	-50	-48	-46	-29	-12	-33
Solothurn	14	-13	-41	-62	-65	-53	-49	-50	-30	-42	-29
Vaud	219	-8	-22	-65	-70	-68	-65	-64	-55	-57	-41
Zurich	509	-17	-26	-60	-59	-58	-54	-55	-47	-43	-33

10 Trip duration by transport mode and gender

Table 2: Median trip duration by gender and mode (minutes)

Mode	Gender	Baseline	Mar-02	Mar-09	Mar-16	Mar-23	Mar-30	Apr-06	Apr-13	Apr-20	Apr-27	May-04
Bicycle	Female	15	15	16	14	19	27	31	38	29	23	30
	Male	14	14	15	25	24	28	36	32	32	22	23
Bus	Female	11	7	8	4	5	6	5	6	5	5	5
	Male	11	8	9	7	7	6	7	7	6	6	7
Car	Female	52	41	38	36	36	36	37	36	39	37	40
	Male	51	47	42	34	34	35	35	35	36	38	41
Train	Female	35	31	35	19	28	29	16	18	31	23	30
	Male	35	25	34	12	26	23	19	24	25	26	28
Tram	Female	15	13	16	8	14	14	9	8	13	14	15
	Male	18	20	17	12	11	13	12	11	12	10	10
Walk	Female	17	22	21	19	18	21	21	21	20	18	17
	Male	17	20	20	16	18	20	20	21	19	18	18

11 Average trip length by transport mode (km)

12 Activity space and daily travel radius

A commonly used definition of the activity space is the 95% confidence ellipse of the activity locations, in this case weighted by duration. In the following analysis, the activities at the home location are included, for those that had the app activated on that day. This is an important metric which gives an idea of the area in which travel is being performed. The daily travel radius is also presented.

Distribution of average daily activity spaces

Area (log scale)
Average of the daily 95% confidence ellipse
weighted by the activity_duration

Table 3: Change in average activity space area and average daily radius (%)

Week		# Activities/day	Change	Area (km ²)	Change	Daily Radius (km)	Change
Baseline-2019	Weekday	4.74		199.61		10.08	
	Weekend	3.93		226.53		9.90	
Mar-02	Weekday	3.98	-16%	188.32	-6%	8.68	-14%
	Weekend	3.45	-12%	127.89	-44%	8.04	-19%
Mar-09	Weekday	3.96	-17%	119.17	-40%	7.34	-27%
	Weekend	3.17	-19%	81.48	-64%	5.87	-41%
Mar-16	Weekday	2.85	-40%	31.06	-84%	3.93	-61%
	Weekend	2.01	-49%	16.63	-93%	2.26	-77%
Mar-23	Weekday	2.67	-44%	34.34	-83%	3.58	-64%
	Weekend	2.22	-43%	30.98	-86%	3.15	-68%
Mar-30	Weekday	2.86	-40%	40.69	-80%	3.79	-62%
	Weekend	2.53	-36%	32.68	-86%	3.63	-63%
Apr-06	Weekday	2.91	-39%	36.62	-82%	4.03	-60%
	Weekend	2.75	-30%	42.58	-81%	3.75	-62%
Apr-13	Weekday	2.94	-38%	41.62	-79%	4.26	-58%
	Weekend	2.76	-30%	51.17	-77%	4.19	-58%
Apr-20	Weekday	3.21	-32%	57.63	-71%	4.87	-52%
	Weekend	2.72	-31%	71.88	-68%	4.70	-53%
Apr-27	Weekday	3.15	-34%	64.39	-68%	5.04	-50%
	Weekend	2.80	-29%	49.56	-78%	4.96	-50%
May-04	Weekday	3.57	-25%	82.10	-59%	5.87	-42%
	Weekend	3.30	-16%	87.99	-61%	6.74	-32%

Table 4: Change in median weekly activity space by type of day and age class (km²)

Age		2019	Mar-02	Mar-09	Mar-16	Mar-23	Mar-30	Apr-06	Apr-13	Apr-20	Apr-27	May-04
(18,25]	Weekday	62.8	35.9	48.1	6.9	2.7	3.2	5.7	7.0	10.4	10.5	17.1
	Weekend	35.5	5.8	9.8	0.6	0.9	0.8	1.3	1.3	2.4	3.6	10.2
(25,35]	Weekday	70.9	85.2	42.6	2.3	4.9	4.6	7.4	6.3	10.6	14.8	15.2
	Weekend	42.4	14.5	3.3	0.4	0.6	1.4	2.3	1.8	1.9	5.3	10.1
(35,45]	Weekday	74.9	36.4	75.0	6.8	3.3	7.6	8.2	9.2	12.0	15.1	23.2
	Weekend	24.9	29.9	20.5	0.4	1.6	0.8	1.4	1.5	2.6	3.6	9.0
(45,55]	Weekday	73.8	40.5	53.8	4.0	3.1	4.4	6.9	5.4	9.9	14.3	19.5
	Weekend	27.9	13.3	7.0	0.7	1.2	1.6	1.7	2.3	2.6	2.4	5.1
(55,65]	Weekday	67.7	79.9	45.0	7.3	2.8	5.8	5.3	7.6	9.6	10.6	16.9
	Weekend	21.3	9.1	8.7	0.1	1.2	1.1	1.2	3.8	2.3	1.7	6.4

13 Hourly counts

The number of trips started per hour. The y axis is normalized by the maximum hourly value in the graph.

14 Activity types and zoning

Around 30% of activities were voluntarily labelled with their purpose by participants using the app. Work is ongoing to impute the purposes for the rest of the activities. Using simplification of the ARE development zoning classification, the activities are assigned with the closest zone classification within a 100m radius. The following graph shows how both the activity duration and the number of activities has changed from the baseline period in 2019 to the COVID-19 period.

Please note that only stationary leisure activities are included, not walking/cycling/hiking/etc

15 Participation

16 Differences in the distributions

The following charts show the characteristics of the MOBIS:COVID-19 sample compared to the original MOBIS sample. There are some small differences, but generally the samples are consistent. This chart will be extended to compare to the relevant census data.

Table 5: Comparison with the last national travel diary Mikrozensus (MZ) 2015

	N		%	
	Covid	MZ	Covid	MZ
Aargau	81	4,325	5.0	7.6
Basel-Landschaft	184	1,940	11.3	3.4
Basel-Stadt	39	1,555	2.4	2.7
Bern	190	7,244	11.7	12.7
Fribourg	8	1,942	0.5	3.4
Geneva	128	3,062	7.9	5.4
Schwyz	17	1,005	1.0	1.8
Solothurn	17	1,813	1.0	3.2
Vaud	291	5,303	17.9	9.3
Zurich	665	10,410	41.0	18.2
Other	3	18,491	0.2	32.4

This work is licensed under a Creative Commons “Attribution-NonCommercial-ShareAlike 4.0 International” license.